THERAPY & EXAMINATION COUCHES

MAXIMUM COMFORT, EASY OPERATION

Our couches have been carefully designed with both the patient and the physician in mind. Available in a wide range of upholstery colours and accessories, they feature superior stability and durability, high quality artificial leather covers and heavy-duty motors.

BTL-1300 SERIES

BTL offers a complete series of rehabilitation and examination couches ranging from simple couches with fixed height to six-section electrically adjustable couches.



BTL-1300 BASIC SERIES

The BTL-1300 Basic series are motor operated couches with a simplified construction but retained superior stability, construction durability and precise manufacturing.

TRACTION THERAPY

The BTL-16 Plus traction unit and BTL-1300 Trac three-section couch offer a complete solution for lumbar and cervical traction.





CRYOTHERAPY

Cryotherapy, i.e. therapeutic use of extremely low temperatures, is used mainly in sports medicine for pain relief and edema reduction. In rehabilitation, it is mainly used to eliminate inflammation, pain and edema and to reduce spasticity.

BTL Cryotherapy uses cold air system. Using frozen air flow (up to -32°C), blown directly onto the skin, has the advantage of greater penetration depth in contrast with conventional methods, such as cold packs, ice baths or sprays. No consumables are needed, so this method provides maximum performance at minimum costs.

MOST COMMON INDICATIONS

- Pain reduction
- Inflammation
- Muscle spasm
- Sports injuries
- Post-surgery conditions
- Rheumatic diseases

FEATURES & BENEFITS

- Outstanding technical parameters (up to -32°C and 1200 l/min airflow)
- Compact design
- Silent operation
- Maintenance free (no water tank)
- Extended warranty period (5 years)





Accesories for BTL Cryotherapy



Therapy hose incl. 5, 10 and 15 mm diameter nozzles and a holder



Laser hose (lightweight, without nozzles)



White angled nozzle (only for therapy hose)



Glass plate



Therapy arm incl. support

TECHNICAL PARAMETERS

Model	BTL CRYOTHERAPY
Part number	P352.001
Airflow	350 – 1200 I/min.
Air temperature	up to -32° C
Weight	53 kg
Dimensions	930 x 300 x 400 mm
Mains supply	230 V AC, 50-60 Hz/115 V, 50-60 Hz (upon request)
Standard accesories	power cord, user manual

Optional accessories

Part number P352.011 Part number P352.012 Therapy hose incl. 5, 10 and 15 mm diameter nozzles and holder Laser hose

Part number P352.013 Part number P352.014 Part number P352.015

White angled nozzle (only for therapy hose) Therapy arm incl. support Glass plate



